

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 09/19/2017 Revision date: 06/08/2018 Version: 2.1

## **SECTION 1: Identification**

#### 1.1. Product identifier

Product form : Mixture
Product name : Conceal

### 1.2. Recommended use and restrictions on use

Recommended use : Caulking

This SDS is designed for workplace employees, emergency personnel and for other situations where there is potential for large-scale or prolonged exposure, in accordance with the WHMIS GHS requirements.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label, SDS or both in accordance with applicable government regulations

### 1.3. Supplier

Supplier Sashco Inc 10300 E. 107th Place 80601 Brighton, CO - USA

T 800 767 5656 info@sashco.com

#### Distributor

Add the name, address and tel. number of the Canadian manufacturer or importer who operates in Canada

### 1.4. Emergency telephone number

Emergency number : 800 535 5053

### **SECTION 2: Hazard identification**

#### 2.1. Classification of the substance or mixture

#### Classification (GHS-CA)

Not classified.

## 2.2. GHS Label elements, including precautionary statements

#### **GHS-CA labelling**

No labelling applicable

#### 2.3. Other hazards

No additional information available

# 2.4. Unknown acute toxicity (GHS-CA)

Not applicable

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Distillates, petroleum, hydrotreated heavy paraffinic	(CAS-No.) 64742-54-7	7.2
Ethylene glycol	(CAS-No.) 107-21-1	2.8
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched	(CAS-No.) 127087-87-0	1.36

# **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact

: If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists

First-aid measures after eye contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Get medical advice/attention if you feel unwell.

06/08/2018 EN (English) Page 1

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation

: May cause irritation to the respiratory tract.

Symptoms/effects after skin contact

: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the

Symptoms/effects after eye contact

: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Symptoms/effects after ingestion

: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment

: Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

Suitable extinguishing media

: Use extinguishing media appropriate for surrounding fire.

### 5.2. Unsuitable extinguishing media

Unsuitable extinguishing media

: Water may be ineffective.

### 5.3. Specific hazards arising from the hazardous product

Fire hazard

: Products of combustion may include, and are not limited to: oxides of carbon.

# 5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting

: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

## 6.2. Methods and materials for containment and cleaning up

For containment

: Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.

Methods for cleaning up

: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

# 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures

: Take off contaminated clothing and wash before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Ethylene glycol (107-21-1)		
USA - ACGIH	ACGIH TWA (ppm)	25 ppm (vapor fraction)
USA - ACGIH	ACGIH STEL (mg/m³)	10 mg/m³ (inhalable particulate matter, aerosol only)
USA - ACGIH	ACGIH STEL (ppm)	50 ppm (vapor fraction)

#### 8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station. Ensure that eyewash stations and safety showers are close to the workstation location.

Environmental exposure controls

: Avoid release to the environment.

06/08/2018 EN (English) 2/5

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

# 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Wear suitable gloves

### Eye protection:

Safety glasses or goggles are recommended when using product.

#### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Wash hands immediately after handling the product.

### SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Viscous paste
Colour : Various
Odour : Slight ammonia
Odour threshold : No data available

pH : 9

Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : No data available : No data available Melting point : No data available Freezing point Boiling point : 212 °F (100 °C) Flash point : Not applicable : No data available Auto-ignition temperature Decomposition temperature : No data available : No data available Flammability (solid, gas) Vapour pressure : No data available : No data available Vapour pressure at 50 °C

Relative density : 1.1

Solubility : No data available
Partition coefficient n-octanol/water : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : 360000 cP
Explosive limits : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

# 10.1. Reactivity

Reactivity : No dangerous reactions known under normal conditions of use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : Heat.

Incompatible materials : None kno

Hazardous decomposition products : May include, and are not limited to: oxides of carbon.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.

06/08/2018 EN (English) 3/5

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Acute toxicity (dermal) : Not classified.

Acute toxicity (inhalation) : Not classified.

Ethylene glycol (107-21-1)	
LD50 oral rat	4700 mg/kg
LD50 dermal rat	10600 mg/kg

Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-, branched (127087-87-0)

LD50 oral rat 1310 mg/kg

Distillates, petroleum, hydrotreated heavy paraffinic (64742-54-7)

LD50 oral rat > 15 g/kg

LD50 dermal rabbit > 5000 mg/kg

Skin corrosion/irritation : Not classified.
pH: 9

Serious eye damage/irritation : Not classified. pH: 9

Respiratory or skin sensitization : Not classified.
Germ cell mutagenicity : Not classified.
Carcinogenicity : Not classified.
Reproductive toxicity : Not classified.
STOT-single exposure : Not classified.

Aspiration hazard : Not classified.

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the

skin.

: Not classified.

Symptoms/effects after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

diarmea.

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

STOT-repeated exposure

Ecology - general : Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## **SECTION 14: Transport information**

## 14.1. Basic shipping description

In accordance with TDG

### **Transportation of Dangerous Goods**

Not regulated for transport

06/08/2018 EN (English) 4/5

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

## 14.2. Transport information/DOT

No additional information available

### 14.3. Air and sea transport

#### **IMDG**

Not regulated for transport

#### IATA

Not regulated for transport

## SECTION 15: Regulatory information

### 15.1. National regulations

No additional information available

## 15.2. International regulations

No additional information available

## **SECTION 16: Other information**

 Date of issue
 : 09/19/2017

 Revision date
 : 06/08/2018

Other information : None.

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com



NFPA health hazard : 0 - Materials that, under emergency conditions, would offer


no hazard beyond that of ordinary combustible materials.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can

occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



Hazard Rating

Health : 0 Minimal Hazard - No significant risk to health

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : B - Safety glasses, Gloves

## SDS Canada (GHS) NEXREG NEW

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

06/08/2018 EN (English) 5/5