

### **SAFETY DATA SHEET**

### SECTION 1: IDENTIFICATION

Product identifier used on the label:

Product Name: Log and Timber Defense

Other means of identification:

Synonyms: Exterior waterborne wood stain.

 $\underline{\textbf{Recommended use of the chemical and restrictions on use:}}$ 

Product Use/Restriction: Exterior wood restoration and protection

Chemical manufacturer address and telephone number:

Manufacturer Name: Perma-Chink Systems, Inc.

Address: 1605 Prosser Road Knoxville, TN 37914

USA

Website: www.permachink.com
General Phone Number: 800-548-3554
General Fax Number: 865-523-9475

Customer Service Phone Number: 865-524-7343

Emergency phone number:

Emergency Phone Number: CHEMTREC 1-800-424-9300

# SECTION 2: HAZARD(S) IDENTIFICATION

 $\underline{\textit{Classification of the chemical in accordance with CFR 1910.1200(d)(f):}\\$ 

Signal Word: Not classified as hazardous according to OSHA Hazard Communication Standard, CFR 1910-1200.

GHS Class: Not applicable.

Hazard Statements: Not applicable.

Precautionary Statements: Not applicable.

 ${\color{blue} \textbf{Hazards not otherwise classified that have been identified during the classification process:} \\$ 

Potential Health Effects:

Eye: Causes eye irritation.

Skin: Causes skin irritation.

Inhalation: Prolonged or excessive inhalation may cause respiratory tract irritation.

Ingestion: May be harmful if swallowed. May cause vomiting.

ChronicHealthEffects: Prolonged or repeated contact may cause skin irritation.

Signs/Symptoms: Over exposure may cause headaches and dizziness.

TargetOrgans: Eyes. Skin. Respiratory system. Digestive system.

Aggravation of Pre-Existing Conditions: None generally recognized.

Log and Timber DefensePerma-Chink Systems, Inc.Revision: 10/4/2022Page 1 of 5

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

**Chemical Name** CAS# **Ingredient Percent** EC Num. Proprietary Polymer 10-25 by weight 75-90 by weight Non-hazardous 57-55-6 Propylene glycol 1-3 by weight

### SECTION 4: FIRST AID MEASURES

#### Description of necessary measures:

Eye Contact: Remove contact lenses, if applicable, and continue flushing. Immediately flush eyes with plenty of

water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Get immediate medical attention.

Skin Contact: Wash off immediately with plenty of water.

Inhalation: If inhaled, remove to fresh air.

If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give Ingestion:

anything by mouth to an unconscious person.

### SECTION 5: FIRE FIGHTING MEASURES

Suitable and unsuitable extinguishing media:

Suitable Extinguishing Media: Water, carbon dioxide (CO2), and dry chemical.

Unsuitable extinguishing media: No Data

Specific hazards arising from the chemical:

Hazardous Combustion Carbon monoxide.

Byproducts: Carbon dioxide

Other undetermined compounds could be released in small quantities.

Unusual Fire Hazards: No Data

Fire Fighting Instructions: Cool canisters with water spray until well after the fire is out.

**NFPA Ratings:** 

NFPA Health: 1 0 NEPA Flammability: NFPA Reactivity: 0



# SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Personal Precautions: Wear personal protective equipment.

**Environmental precautions:** 

Environmental Precautions: Avoid runoff into storm sewers, ditches, and waterways.

### SECTION 7: HANDLING and STORAGE

Precautions for safe handling:

Handling: Do not eat or drink while using this product. Use with adequate ventilation. Avoid breathing vapor and

contact with eyes, skin and clothing.

Hygiene Practices: Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling vapor or mist.

Special Handling Procedures: No Data

Conditions for safe storage, including any incompatibilities:

Storage: Do not freeze. Avoid excessive heat. Should be stored at room temperature, approximately 25°C

(77°F).

Log and Timber Defense Revision: 10/4/2022 Perma-Chink Systems, Inc. Page 2 of 5

# SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE GUIDELINES:

Appropriate engineering controls:

Individual protection measures:

Hand Protection Description: Rubber or latex gloves recommended.

Respiratory Protection: No special protective equipment required.

PPE Pictograms:





# SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

### PHYSICAL AND CHEMICAL PROPERTIES:

Physical State: Liquic

Physical State Appearance: Low viscosity liquid

Color: Milky white before color tinting.

Odor: Mild.
Boiling Point: 212 oF

Melting Point: Not determined.

Density: Not determined.

Specific Gravity: 1.009

Specific Volume: No information.

Solubility: Soluble in water.

Vapor Density: 1.0 (water = 1)

Vapor Pressure: 23.8 torr @ 75 oF

Percent Volatile: 75 - 90

Evaporation Rate: No Data

Evaporation Point: No Data

pH: 8.5 - 9.5

Molecular Formula: No information.

Molecular Weight: No information.

Viscosity: 21-23 SECONDS #2 Zahn cup

Coefficient of Water/Oil Not determined.

Distribution:

Flammability: Not applicable.

Explosive Properties: Not applicable.

Oxidizing Properties: Not determined.

Refractive Index: No Data

Optical Rotation: Not applicable.

VOC Content: 187 g/L

# SECTION 10: STABILITY and REACTIVITY

Reactivity:

Reactivity: Non reactive

<u>Chemical Stability:</u>

Chemical Stability: Stable under normal temperatures and pressures.

Possibility of hazardous reactions:

Hazardous Polymerization: Not applicable.

Conditions To Avoid:

Conditions to Avoid: None under normal use.

Incompatible Materials:

Incompatible Materials: Oxidizing agents

**Hazardous Decomposition Products:** 

Special Decomposition Products: None

Log and Timber Defense Perma-Chink Systems, Inc. Revision: 10/4/2022 Page 3 of 5

### SECTION 11: TOXICOLOGICAL INFORMATION

### TOXICOLOGICAL INFORMATION:

**Proprietary Polymer:** 

Acute Toxicity: No data available

Propylene glycol:

Acute Toxicity: No known significant effects or critical hazards

**Proprietary Polymer:** 

Eye: No data available
Skin: No data available
Inhalation: No data available
Ingestion: No data available

Propylene glycol:

Eye: Presumed non-toxic

Skin: Presumed non-toxic

Inhalation: Presumed non-toxic

Ingestion: Presumed non-toxic

Sensitization: Did not cause sensitization on laboratory animals

Subchronic Effects: No aspiration toxicity classification

Carcinogenicity: No evidence of carcinogenicity in animal studies

# SECTION 12: ECOLOGICAL INFORMATION

### **Proprietary Polymer:**

Ecotoxicity:

Ecotoxicity: No data available for this material.

Environmental Fate: Not available.

Bioaccumulative potential:

Bioaccumulation: Not determined.

Propylene glycol:

Ecotoxicity:

Ecotoxicity: Fish, daphnia/other invertebrates, and algae: Presumed non-toxic

Persistence and degradability:

Biodegradation: No data

### SECTION 13: DISPOSAL CONSIDERATIONS

Description of waste:

Waste Disposal: Dispose of in accordance with Local, State, Federal and Provincial regulations.

# SECTION 14: TRANSPORT INFORMATION

DOT Shipping Name: Not regulated as a dangerous good

DOT UN Number: Non regulated.

DOT Hazard Class: Non regulated.

DOT Packing Group: Non regulated.

IATA UN Number: Not regulated as a dangerous good

IMDG Shipping Name: Not regulated as a dangerous good

Log and Timber Defense Revision: 10/2/2022

### SECTION 15: REGULATORY INFORMATION

 $\underline{\textbf{Safety, health and environmental regulations specific for the product:}}$ 

#### **Proprietary Polymer:**

US Federal: Non regulated.

TSCA Inventory Status: Listed

Not classified as hazardous SARA:

Propylene glycol:

TSCA Inventory Status: Listed

SARA: Non regulated.

Canada DSL: Listed

# SECTION 16: ADDITIONAL INFORMATION

#### **HMIS Ratings**:

HMIS Health Hazard: 1 0 HMIS Fire Hazard: HMIS Reactivity: 0 HMIS Personal Protection: 1 **Health Hazard** Fire Hazard Reactivity 0 **Personal Protection** 

SDS Creation Date: March 24, 2020

SDS Revision Date: October 4, 2022

Disclaimer:

The information contained herein is, to the best of Perma-Chink Systems, Inc. knowledge, accurate as of the date indicated. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume responsibility for the results of its use. This information is furnished on the condition that the person receiving it shall make their own determination as to the suitability of the material for their particular purpose and on the condition that they assume the risk of use thereof

condition that they assume the risk of use thereof.

Log and Timber Defense Revision: 10/4/2022